

Index

Note: Page numbers set **bold** or *italic* indicate headings or figures, respectively.

A

Abdominal wall blocks

- case example **69**
 - quadratus lumborum (QL) block **62**
 - anatomy 62, 63
 - anterior or transmuscular QL block (formerly QL3) **64**
 - application in spine surgery **66**
 - background **62**
 - block coverage **64**
 - block technique **65**
 - intramuscular QL block **64, 65**
 - lateral QL block (formerly QL1) **63**
 - posterior QL block (formerly QL2) **64**
 - variations of the QL block **63, 64**
 - transversus abdominis plane (TAP) block **66**
 - anatomy **66, 67**
 - application in spine surgery **68**
 - background **66**
 - block coverage **67**
 - block technique **67, 68**
 - variations of **66**
- ACDF surgeries, *see* Anterior cervical diskectomy and fusion (ACDF) surgeries
- Acetaminophen 69, 203, 208–209
- Acoustic impedance 12
- Acoustic insulation 13
- Acute pain management, pump types for *157, 159*
- Agitation 162
- Airway injury **90**
- Airway management **205, 206**
- Alpha-2 agonists 75, 77, 78
- Amplitude 11
- Amplitude mode (A-mode) *15*
- in ultrasound imaging modalities 15
- Anesthesia for awake spinal surgeries **31**
- complications and adverse events **35**
 - current trends in anesthesia choice **36**
 - epidural and spinal anesthesia, comparison of efficacy between **34**

- future of regional anesthesia in spine surgeries **37**
 - managing awareness during surgery **33, 34**
 - mechanism of action **31**
 - epidural anesthesia (EA) **32**
 - patient selection 33
 - spinal anesthesia (SA) **31, 32**
 - neuraxial procedures and general anesthesia, comparison of **35, 36**
 - safety profile **35**
- Andrews Spinal Surgery Table 203
- Andrews table 203
- Anesthesia protocol
- intraoperative **204**
 - preoperative **203**
- Anterior cervical diskectomy and fusion (ACDF) surgeries 54
- Anxiety, *see* Patient anxiety
- Anxiolysis and sedative effects 76
- Apfel scoring system 89
- Aprotinin 104
- Aromatherapy and massage **75**
- ARTLIF, *see* Awake robotic transforaminal interbody fusion (ARTLIF)
- ASF, *see* Awake spine fusion (ASF)
- Attention deficits 162
- Attenuation 12
- Awake endoscopic spine surgery **139**
- adjuncts **144**
 - airway management **141**
 - anesthesia protocol **143**
 - cons **141**
 - indications **141**
 - methods **141, 142–143**
 - patient positioning **141, 143**
 - postoperative **144**
 - pros **140**
- Awake endoscopy **118**
- cons **119**
 - emergence **118**
 - indications **118**
 - pros **118**
- Awake lateral fusion **147**
- anesthesia **148**
 - case example **150, 151**
 - cons **120**

- emergence **119**
 - indications **148**
 - postoperative management **149**
 - pros **119**
 - results **150**
 - surgical technique **148, 149**
- Awake lateral fusions **119**
- Awake robotic surgery **116**
- cons **116**
 - emergence **116**
 - indications **116**
 - pros **116**
- Awake robotic transforaminal interbody fusion (ARTLIF) 126–127
- Awake spine fusion (ASF) *147*
- Awake spine surgery **162**
- Axial resolution 14

B

- Backing layer 13
- Benefits of awake spine surgery **165, 177, 178**
- anesthesia, surgical, and operating room times **182**
 - blood loss **183**
 - cognition **184**
 - costs and carbon footprint **181**
 - decreased anesthesia-related complications **165**
 - deep vein thrombosis (DVT) **182**
 - fatigue and quality of life **184**
 - hemodynamic effects **179**
 - hospital length of stay **183**
 - patient satisfaction **181**
 - patient selection and intraoperative cooperation **165**
 - postanesthesia care unit (PACU) admission times **183**
 - postoperative nausea and vomiting **181**
 - postoperative pain and analgesic requirements **180**
 - reduced recovery time **165**
 - safety of awake spine surgery **179**
 - surgeon satisfaction **180**
 - time to mobilization **184**
 - urinary retention **184**
- Benzodiazepines 34, 75, 77–78, 204

- Blocks
- amenable to continuous infusions **156**
 - for spine surgery **20**
 - classical transversus abdominis plane block **22**
 - epidural **20**
 - erector spinae plane (ESP) block **22**
 - paravertebral blocks (PVBs) *21, 22*
 - quadratus lumborum (QL) block **22**
 - spinal **20**
 - types of **5**
 - epidural **7**
 - erector spinae plane block **9**
 - spinal **5, 6–8**
- Blood loss **183**
- Bones **3**
- Brightness mode (B-mode), in ultrasound imaging modalities 15
- Bronchospasm 89, 191
- Bupivacaine 45–46, 55, 57–58, 69, 96, 111, 144, 203

C

- Carbon footprint **181**
- Cardiovascular effects of general anesthesia **88**
- C-arm 125, 202
- Catheter types for continuous anesthesia pumps *157*
- Catheter-over-needle systems 157
- Catheter-through-needle systems 157
- CBT, *see* Cognitive behavioral therapy (CBT)
- Cerebrospinal fluid (CSF) 4, 35, 186, 204
- Certified Registered Nurse Anesthetist (CRNA) 205
- Cervical blocks **40**
- benefits and drawbacks **42**
 - patient preparation **42**
 - summary of procedure *41*
 - technique and muscle targets **40, 41**
 - type of medication used and duration **42**
- Cervical erector spinae plane block **52**
- clinical applications of **54**

- potential complications of **54**
 - relevant anatomy **50, 52**
 - Cervical paraspinal interfascial plane blocks **50**
 - clinical applications **52**
 - additional advantages **52**
 - cervical spine surgeries utilizing pip blocks **52**
 - relevant anatomy **50**
 - technique **51**
 - inter-semi spinal plane block/cervical semispinalis cervicis plane block **51**
 - multifidus cervicis plane block **51**
 - retrolaminar block **51**
 - Cervical paravertebral block (CPVB) **54, 55**
 - clinical use for cervical spine surgery **55**
 - limitations and complications **56**
 - relevant anatomy **54**
 - technique **55**
 - Cervical plexus block (CPB) **56**
 - clinical use for cervical spine surgery **58**
 - limitations and complications **58**
 - relevant anatomy **56**
 - course **56**
 - technique **56, 57**
 - intermediate and deep cervical plexus block **56**
 - superficial cervical plexus block **57**
 - Cervical PVBs **47**
 - Cervical semispinalis cervicis plane block **51**
 - Cervical spinal nerves, dorsal rami of **51**
 - Cervical spine surgeries utilizing pip blocks **52**
 - Challenges of awake spine surgery **165**
 - decreased anesthesia-related complications **165**
 - patient selection and intraoperative cooperation **165**
 - reduced recovery time **165**
 - Chloroform **87**
 - Chloroprocaine **111**
 - Clinical example **82**
 - Clonidine **77, 144**
 - Cognition **184**
 - Cognitive behavioral therapy (CBT) **75**
 - Cognitive dysfunction **91**
 - Computed tomography (CT) **54**
 - Confusion assessment method **164**
 - Continuous anesthesia pumps, catheter types for **157**
 - Continuous infusion catheters **155, 156**
 - Continuous infusions, blocks amenable to **156**
 - Costs associated with awake spine surgery **181**
 - COVID-19 pandemic **177, 179**
 - and spine surgery **94**
 - Egyptian experience during **94**
 - advantages of spine surgery under spinal anesthesia **95**
 - clinical cases **97, 98–99**
 - equipment and medications **95**
 - intraoperative management **95, 96–97**
 - limitations **95**
 - perioperative complications **97**
 - postoperative care **97**
 - postoperative recovery **97**
 - preoperative considerations **95**
 - COVID-19 pandemic, India's experience during **101**
 - advantages of regional anesthesia in spine surgery **102**
 - awake spine surgeries **106**
 - enhanced recovery after surgery (ERAS) protocol **105, 106**
 - intraoperative concerns **103**
 - blood loss **103**
 - epidural anesthesia **104**
 - epidural steroid **104**
 - erector spinae block **104**
 - intrathecal morphine **104**
 - pain management **104**
 - peripheral nerve injury **104**
 - pharmacological agents **105**
 - position-related complications **104**
 - preoperative concerns of awake spinal surgery **103**
 - COX-2 inhibitors, *see* Cyclooxygenase-2 (COX-2) inhibitors
 - COX-2 selective nonsteroidal antiinflammatory drug **203**
 - CPB, *see* Cervical plexus block (CPB)
 - CPVB, *see* Cervical paravertebral block (CPVB)
 - CRNA, *see* Certified Registered Nurse Anesthetist (CRNA)
 - CSF, *see* Cerebrospinal fluid (CSF)
 - CT, *see* Computed tomography (CT)
 - Curvilinear transducers **15**
 - Cyclooxygenase-2 (COX-2) inhibitors **105**
- D**
- Data for awake spine surgery **28**
 - Deep vein thrombosis (DVT) **110, 180, 182**
 - Definition and techniques of awake spine surgery **164**
 - local anesthesia and sedation protocols **164**
 - Delirium rating scale-revised-9 **164**
 - Desflurane **87**
 - Dexamethasone **46, 144, 203**
 - Dexmedetomidine **34, 77–78, 83, 204**
 - Diskectomy **134**
 - Disks **3**
 - Disorientation **162**
 - Doppler effect **15, 16**
 - Dorsal root ganglion (DRG) **139**
 - DRG, *see* Dorsal root ganglion (DRG)
 - DVT, *see* Deep vein thrombosis (DVT)
- E**
- EA, *see* Epidural anesthesia (EA)
 - EACA, *see* Epsilon aminocaproic acid (EACA)
 - ECG, *see* Electrocardiogram (ECG)
 - Echogenic needle **68**
 - Elastomeric pumps **158**
 - Electrocardiogram (ECG) **103**
 - Electronic pumps **157**
 - Emergency airway management **190**
 - airway compromise, risks of **190**
 - airway management **191**
 - Emotional dysregulation and distress **163**
 - Endoscopic rhizotomy (ER) **119**
 - Endoscopic spine surgery, *see* Awake endoscopic spine surgery
 - Enhanced recovery after surgery (ERAS) protocol **31, 105, 106, 169**
 - Enoxaparin **150**
 - Ephedrine **204**
 - Epidural and spinal anesthesia – comparison of efficacy between **34**
 - differences between **102**
 - Epidural anesthesia (EA) **32**
 - Epidurography **9**
 - Epinephrine **46**
 - Epsilon aminocaproic acid (EACA) **104**
 - ER, *see* Endoscopic rhizotomy (ER)
 - ERAS protocol, *see* Enhanced recovery after surgery (ERAS) protocol
 - Erector spinae muscle **52**
 - Erector spinae plane data **27**
 - awake spine surgery, data for **28**
 - general anesthesia, data for, in spine surgeries **27**
 - Erector spinae plane (ESP) block **9, 22, 25, 52, 54, 144, 187, 203**
 - block function **25**
 - block performance **26, 27**
 - clinical example **28**
 - relevant anatomy **25, 26**
 - ESP block, *see* Erector spinae plane (ESP) block
 - Establishing awake spine program **192**
 - anesthetic protocol, establishing **192**
 - Etomidate **34**
 - Evidence for awake spine surgery **175, 176**
 - *See also* Benefits of awake spine surgery
 - challenges and additional considerations **187**
 - challenging spinal insertion **187**
 - complications of spinal anesthesia **188**
 - potential drawbacks of awake spine surgery **188, 189**
 - emergency airway management **190**
 - airway management **191**
 - risks of airway compromise **190**
 - establishing an awake spine program **192**
 - establishing an anesthetic protocol **192**

- historical context **176, 177**
 - practical considerations and perioperative approach **184**
 - patient selection 185
 - perioperative sedation **187, 188**
 - preemptive analgesia **186**
 - spinal technique 186
 - surgical indications 185
- ## F
- Fascial plane 52
 - Fatigue and quality of life **184**
 - FDA, *see* Food and Drug Administration (FDA)
 - Fentanyl 9, 203–204
 - Flumazenil 76
 - Fluoroscopy 9, 124
 - Food and Drug Administration (FDA) 125
 - Frequency of the wave 12
 - Future directions **83**
- ## G
- GA, *see* General anesthesia (GA)
 - GABAergic system 74
 - Gabapentin **79, 203, 209**
 - Gabapentin 75, 80, 105
 - Gastroesophageal reflux disease (GERD) 191
 - General anesthesia, data for, in spine surgeries **27**
 - General anesthesia (GA) 31, **87**
 - cardiovascular effects of **88**
 - complications of **89**
 - adverse drug reactions **91**
 - airway injury **90**
 - awareness under anesthesia **90**
 - cognitive dysfunction **91**
 - hypothermia **90**
 - malignant hyperthermia **89**
 - postoperative nausea and vomiting **89**
 - respiratory effects of **88**
 - risk profile of anesthetic techniques **91**
 - GERD, *see* Gastroesophageal reflux disease (GERD)
 - GlideScope 205
 - Globus Excelsius system 125
- ## H
- Hallucinations 162
 - Hemodynamic effects **179**
 - Hospital length of stay **183**
 - Hydrolocation 68
 - Hydromorphone 209
 - Hyperactivity 162
 - Hypnosis 75
 - Hypnosis and cognitive behavioral therapy **75**
 - Hypoaactivity 162
 - Hypothermia **90**
- ## I
- Ibuprofen 149
 - Indications and contraindications of awake spine surgery **165**
 - suitable conditions and patient profiles **165**
 - “In-parallel” technique 200
 - Intensity 11
 - Inter-semi spinal plane (ISP) block 50, **51**
 - Intraoperative **204**
 - airway management **205, 206**
 - anesthesia protocol **204**
 - Intraoperative CT and image guidance **125**
 - Intraoperative stress response **165**
 - Intraoperative ultrasound (IOUS) **124**
 - Intraoperative X-ray **124**
 - IOUS, *see* Intraoperative ultrasound (IOUS)
 - Isobaric bupivacaine 204–205
 - Isovuc-M 200 9
 - ISP block, *see* Inter-semi spinal plane (ISP) block
- ## J
- Jackson table 170, 202, 204
- ## K
- Kambin’s triangle 116–118, 133–134, 144, 170
 - Ketamine 34, 69, 75, **79, 80**
 - Ketorolac 69
- ## L
- Lansoprazole 150
 - Laryngeal mask airway (LMA) 192, 205
 - LAST, *see* Local anesthetic systemic toxicity (LAST)
 - Lateral resolution 14
 - Lidocaine 9, 45
 - Ligaments **4**
 - Linear-array transducer 14
 - Linear-array transducers 15
 - Liposomal bupivacaine 69, 204
 - LLIF, *see* Lumbar lateral interbody fusion (LLIF)
 - LMA, *see* Laryngeal mask airway (LMA)
 - Local anesthetic systemic toxicity (LAST) 47
 - Long-acting nerve block pumps for postoperative pain management **155**
 - blocks amenable to continuous infusions **156**
 - catheter types for continuous anesthesia pumps 157
 - continuous infusion catheters **155, 156**
 - pump types for acute pain management 157, 159
 - Long-acting pain pumps, pros and cons of 156
 - Low-dose anesthetics and gabapentin 80
 - Lumbar blocks **44**
 - benefits and drawbacks **46**
 - patient preparation **45**
 - summary of procedure **45**
 - technique and muscle targets **44**
 - type of medication used and duration **45**
 - Lumbar lateral interbody fusion (LLIF) 147
 - Lumbar PVBs 47
 - Lumbar spine anatomy **3, 4**
 - bones and disks **3**
 - ligaments **4**
 - muscles **5**
 - nerves **4**
 - Lumbar spine, paravertebral blocks for **39**
 - cervical blocks **40**
 - lumbar blocks **44**
 - sacral blocks **46**
 - safety issues **47**
 - inadvertent puncture **47**
 - local anesthetic systemic toxicity **47**
 - nerve injury **47**
 - thoracic blocks **42**
 - Lyosomal bupivacaine 144
- ## M
- MAC protocol, *see* Monitored anesthesia care (MAC) protocol
 - Malignant hyperthermia **89**
 - Massage **75**
 - Matching layer 13
 - MCP block, *see* Multifidus cervicis plane (MCP) block
 - Medtronic Mazor system 125
 - Memory impairment 162
 - Mepivacaine 111, 186
 - Methocarbamol 208
 - Midazolam 76–77, 203–204
 - Minimally invasive spine surgery (MISS) **115, 147**
 - awake endoscopy **118**
 - cons **119**
 - emergence **118**
 - indications **118**
 - pros **118**
 - awake lateral fusions **119**
 - cons **120**
 - emergence **119**
 - pros **119**
 - awake robotic surgery **116**
 - cons **116**
 - emergence **116**
 - indications **116**
 - pros **116**
 - next-generation transforaminal lumbar interbody fusions **117**
 - cons **118**
 - emergence **117**
 - indications **117**
 - pros **117**
 - Minimally invasive surgery transforaminal lumbar interbody fusion (MIS-TLIF) 131, 132–133, 198, 202
 - history and innovation **131**
 - key steps **132**
 - limitations **133**
 - outcomes **132**
 - MISS, *see* Minimally invasive spine surgery (MISS)
 - MIS-TLIF, *see* Minimally invasive surgery transforaminal lumbar interbody fusion (MIS-TLIF)
 - Mizuho OSI Modular Table System 202
 - Monitored anesthesia care (MAC) protocol 75, 142
 - Montreal cognitive assessment **164**
 - Morphine 148
 - Motion mode (M-mode), in ultrasound imaging modalities 15
 - Multifidus cervicis muscle 51
 - Multifidus cervicis plane (MCP) block 50, **51**
 - Muscles **5**
 - Music therapy **74**

N

- Naloxone 149
- Nerves 4
- Neuraxial procedures and general anesthesia, comparison of 35, 36
- Next-generation transforaminal lumbar interbody fusions 117
 - cons 118
 - emergence 117
 - indications 117
 - pros 117
- Nonopioid versus opioid analgesics 165
- Nonsteroidal anti-inflammatory drugs (NSAIDs) 44, 187, 203, 208
- NSAIDs, *see* Nonsteroidal anti-inflammatory drugs (NSAIDs)

O

- O-arm 127, 202
- Obstructive sleep apnea (OSA) 69
- ODI, *see* Oswestry Disability Index (ODI)
- Open transforaminal lumbar interbody fusion 130
 - history and innovation 130
 - key steps 131
 - limitations 131
- Opioids 44, 78, 165–166, 187, 204
- OSA, *see* Obstructive sleep apnea (OSA)
- Oswestry Disability Index (ODI) 94, 134
- Outpatient spine surgery 109
 - aftercare for patient after 111
 - definition 109
 - intraoperative considerations 111
 - preparing the patient for 109
 - protocol development 112
- Oxycodone 69, 149, 208–209

P

- PACU, *see* Postanesthesia care unit (PACU)
- Pain management and delirium 165
 - nonopioid versus opioid analgesics 165
 - opioid-sparing approaches 166

- Paracetamol 105
- Paraspinal interfascial plane blocks (PIPBs) 50
- Paravertebral blocks for cervical spine 49
 - cervical erector spinae plane block 52
 - relevant anatomy 50, 52
 - cervical ESP block
 - clinical applications of 54
 - potential complications of 54
 - cervical paraspinal interfascial plane blocks 50
 - additional advantages 52
 - cervical spine surgeries utilizing pip blocks 52
 - inter-semi spinal plane block/cervical semispinalis cervicis plane block 51
 - multifidus cervicis plane block 51
 - relevant anatomy 50
 - retrolaminar block 51
 - cervical paravertebral block (CPVB) 54
 - clinical use for cervical spine surgery 55
 - limitations and complications 56
 - relevant anatomy 54
 - technique 55
 - cervical plexus block (CPB) 56
 - clinical use for cervical spine surgery 58
 - intermediate and deep cervical plexus block 56
 - limitations and complications 58
 - relevant anatomy 56
 - superficial cervical plexus block 57
 - technique 53
- Paravertebral blocks (PVBs) 21, 22, 40, 50
 - cervical 40, 47
 - lumbar 44, 47
 - sacral 46
 - thoracic 42, 47
- Patient anxiety
 - alpha-2 agonists in 78
 - benzodiazepines use for 77
 - factors contributing to 73
 - factors contributing to, in awake spine surgery 72
 - clinical environment, influence of 73
 - demographic and psychological factors 73
 - fear of pain and being awake 72
 - inadequate information and communication 73
 - implications of, on perioperative outcomes 73
 - in the postoperative phase of care after awake spine surgery 82
 - nonpharmacological interventions for 75
 - nonpharmacological interventions for perioperative management of 74
 - aromatherapy and massage 75
 - hypnosis and cognitive behavioral therapy 75
 - music therapy 74
 - progressive muscle relaxation and guided imagery 74
 - virtual reality (VR) 74
 - pharmacological interventions for perioperative management of 75
 - alpha-2 agonists 77
 - benzodiazepines 75
 - gabapentin 79
 - ketamine 79
 - propofol 78
 - preoperative evaluation and consideration for, before awake spine surgery 80
 - counseling and psychological support 81
 - methods of delivering education 81
 - preoperative patient education and counseling, role of 80
 - preoperative evaluation and consideration for patients with, before awake spine surgery 80
 - counseling and psychological support 81
 - methods of delivering education 81
 - preoperative patient education and counseling, role of 80
- Patient education and counseling approaches 81
- Patient selection 33, 185, 198
- PDPH, *see* Postdural puncture headache (PDPH)
- perCLIF, *see* Percutaneous transforaminal lumbar interbody fusion (perCLIF)
- Percutaneous endoscopic transforaminal lumbar interbody fusion (PETLIF) 133

- Percutaneous transforaminal lumbar interbody fusion (perCLIF) 133–134, 170
- Perioperative sedation 187, 188
- PETLIF, *see* Percutaneous endoscopic transforaminal lumbar interbody fusion (PETLIF)
- Phased-array transducers 14–15
- Phenylephrine guttae 204
- Piezoelectric crystal 14
- Piezoelectric effect 13
- PIPBs, *see* Paraspinal interfascial plane blocks (PIPBs)
- PLIF technique, *see* Posterior lumbar interbody fusion (PLIF) technique
- PLL, *see* Posterior longitudinal ligament (PLL)
- POD, *see* Postoperative delirium (POD)
- PONV, *see* Postoperative nausea and vomiting (PONV)
- POSE program, *see* Preoperative Spinal Education (POSE) program
- Postanesthesia care unit (PACU) 28, 35, 139, 180, 183
- Postdural puncture headache (PDPH) 188
- Posterior cervical decompression and fusion surgery 54
- Posterior longitudinal ligament (PLL) 4
- Posterior lumbar interbody fusion (PLIF) technique 123, 129
- Postoperative anesthesia protocol 208
- Postoperative delirium (POD) 162
 - clinical features 162
 - behavioral changes 162, 163
 - cognitive disturbances 162, 163
 - onset and duration 163
 - definition of 161
 - diagnosis and assessment tools 164
 - 4 A's test 164
 - confusion assessment method 164
 - delirium rating scale-revised-9 164
 - montreal cognitive assessment 164

- nurses' delirium screening checklist **164**
 - epidemiology and incidence **163**
 - prevalence in surgical patients **163**
 - variation by age and surgery type **163**
 - pathophysiology and risk factors **163**
 - neuroinflammatory mechanisms **163**
 - neurotransmitter imbalances **164**
 - risk factors **164**
 - Postoperative delirium (POD), awake spine surgery and **165**
 - clinical example **169**
 - patient background **169**, **170**
 - clinical implications **171**
 - clinical studies and evidence **166**
 - comparative summary **167**
 - follow-up and monitoring **168**
 - impact on hospital stay **167**
 - intraoperative management **168**
 - long-term outcomes **167**
 - multidisciplinary approach **168**
 - patient selection **168**
 - postoperative care **168**
 - readmission rates, impact on **167**
 - short-term outcomes **167**
 - future directions and research **169**
 - advances in delirium prevention and management **169**
 - emerging techniques in awake spine surgery **169**
 - ongoing research and clinical trials **169**
 - neurophysiological mechanisms **165**
 - impact of anesthesia types on the brain **165**
 - intraoperative stress response **165**
 - operative course **170**
 - outcome **170**, **171**
 - pain management and delirium **165**
 - nonopioid versus opioid analgesics **165**
 - opioid-sparing approaches **166**
 - perioperative factors **166**
 - intraoperative monitoring **166**
 - postoperative care **166**
 - postoperative course **171**
 - preoperative assessment and optimization **168**
 - intraoperative techniques **168**
 - postoperative care **168**
 - preoperative education **168**
 - screening for risk factors **168**
 - preoperative considerations **169**
 - prevention and management strategies **168**
 - Postoperative nausea and vomiting (PONV) **22–23**, **181**
 - Postoperative pain and analgesic requirements **180**
 - Postoperative pain management, long-acting nerve block pumps for **155**
 - blocks amenable to continuous infusions **156**
 - catheter types for continuous anesthesia pumps **157**
 - continuous infusion catheters **155**, **156**
 - pump types for acute pain management **157**, **159**
 - Postoperative urinary retention (PUR) **184**
 - Preemptive analgesia **186**
 - Pregabalin **105**, **149**
 - Preoperative concerns of awake spinal surgery **103**
 - Preoperative course **201**
 - anesthesia protocol **203**
 - positioning **202**
 - Preoperative evaluation and consideration for patients with anxiety before awake spine surgery **80**
 - counseling and psychological support **81**
 - methods of delivering education **81**
 - preoperative patient education and counseling, role of **80**
 - Preoperative Spinal Education (POSE) program **80**
 - Progressive muscle relaxation and guided imagery **74**
 - Propofol **34**, **75**, **78**, **80**, **87**, **205**
 - Protocols powering awake spine surgery **197**
 - intraoperative **204**
 - airway management **205**, **206**
 - anesthesia protocol: intraoperative **204**
 - patient selection **198**
 - postoperative **208**
 - postoperative anesthesia protocol **208**
 - postoperative management **209**
 - preoperative course **201**
 - anesthesia protocol: preoperative **203**
 - positioning **202**
 - surgical selection **199**
 - patient selection criteria for spinal procedures **199**, **200**
 - Pump types for acute pain management **157**, **159**
 - PUR, *see* Postoperative urinary retention (PUR)
 - PVBs, *see* Paravertebral blocks (PVBs)
- ## Q
- QL block, *see* Quadratus lumborum (QL) block
 - Quadratus lumborum (QL) block **22**, **62**
 - anatomy **62**, **63**
 - anterior/transmuscular QL block **64**
 - application in spine surgery **66**
 - background **62**
 - block coverage **64**
 - block technique **65**
 - intramuscular QL block **64**, **65**
 - lateral QL block (formerly QL1) **63**
 - posterior QL block (formerly QL2) **64**
 - variations of the QL block **63**, **64**
- ## R
- RA, *see* Regional anesthesia (RA)
 - Ramsay Sedation Scale **204**
 - Randomized controlled trials (RCTs) **104**
 - RCTs, *see* Randomized controlled trials (RCTs)
 - Regional anesthesia (RA) **19**, **31**
 - benefits of regional anesthesia for awake spine surgery **22**
 - blocks for spine surgery **20**
 - classical transversus abdominis plane block **22**
 - epidural **20**
 - erector spinae plane (ESP) block **22**
 - paravertebral blocks (PVBs) **21**, **22**
 - quadratus lumborum (QL) block **22**
 - spinal **20**
 - in spine surgeries **37**
 - Regional anesthesia, relevant spine anatomy for
 - blocks, types of **5**
 - epidural **7**
 - erector spinae plane block **9**
 - spinal **5**, **6–8**
 - lumbar spine anatomy **3**, **4**
 - bones and disks **3**
 - ligaments **4**
 - muscles **5**
 - nerves **4**
 - technique **8–9**
 - Remimazolam **76–77**, **83**
 - Resolution **14**
 - Respiratory depression **76**
 - Respiratory effects of general anesthesia **88**
 - Retrolaminar block **51**
 - Robotic spine surgery **123**, **126**
 - evolution of **125**
 - general benefits of **126**
 - history of spinal fusion surgery **123**
 - intraoperative imaging, history of **124**
 - intraoperative CT and image guidance **125**
 - intraoperative ultrasound (IOUS) **124**
 - intraoperative X-ray **124**
 - limitation of **127**
 - specific benefits of **127**
 - Ropivacaine **45–46**, **51**, **55**, **57**, **111**, **144**, **148**
- ## S
- SA, *see* Spinal anesthesia (SA)
 - Sacral blocks **46**
 - benefits and drawbacks **46**
 - patient preparation **46**
 - summary of procedure **46**
 - type of medication used and duration **46**
 - Safety of awake spine surgery **179**

Scattering 12, 13
 SCM muscle, *see*
 Sternocleidomastoid (SCM)
 muscle
 Semispinalis cervicis and
 semispinalis capitis 51
 Sevoflurane 87
 Short-acting opioids 75
 Soft landing" technique 208
 SoundWave 11, 12
 Spinal and epidural
 anesthesia, differences
 between 102
 Spinal anesthesia (SA) 31, 32,
 34
 Spinal block 5, 6–8, 20
 Spinal bupivacaine 96
 Spinal technique 186
 Sternocleidomastoid (SCM)
 muscle 56
 Surgical indications 185
 Surgical selection 199
 – for spinal procedures 199,
 200

T

TAP block, *see* Transversus
 abdominis plane (TAP)
 block
 Temporal resolution 14
 TF-LIF, *see* Transfacet lumbar
 interbody fusion (TF-LIF)
 Thoracic blocks 42
 – benefits and drawbacks 44
 – patient preparation 44
 – summary of procedure 43
 – technique and muscle
 targets 42
 – type of medication used
 and duration 44

Thoracic PVBs 47
 Thoracolumbar interfascial
 plane (TLIP) block 187
 Tissues, ultrasound waves
 interaction with 12
 TIVA techniques, *see* Total
 intravenous anesthesia
 (TIVA) techniques
 TLIF, *see* Transforaminal
 lumbar interbody fusion
 (TLIF)
 TLIP block, *see* Thoracolumbar
 interfascial plane (TLIP)
 block
 Total intravenous anesthesia
 (TIVA) techniques 31
 TPs, *see* Transverse processes
 (TPs)
 Traditional spine surgery,
 awake spine surgery
 and 165
 – differences in anesthesia,
 recovery, and
 outcomes 165
 Tranexamic acid (TXA) 104
 Transducers 13
 – curvilinear 15
 – linear-array 14–15
 – phased-array 14–15
 – types of 14
 Transfacet lumbar interbody
 fusion (TF-LIF) 135
 – history and innovation
 135
 – key steps 135
 – limitations 136
 – outcomes 136
 Transforaminal lumbar
 interbody fusion (TLIF) 32,
 101, 123, 126, 129, 130
 – minimally invasive 131

– next-generation 117
 – cons 118
 – emergence 117
 – indications 117
 – pros 117
 – open 130
 – trans-Kambin's triangle
 lumbar interbody
 fusion 133
 Trans-Kambin's triangle
 lumbar interbody
 fusion 133
 – history and innovation
 133
 – key steps 134
 – limitations 134
 – outcomes 134
 Transverse processes
 (TPs) 51–52
 Transversus abdominis plane
 (TAP) block 22, 66
 – anatomy 66, 67
 – application in spine
 surgery 68
 – background 66
 – block coverage 67
 – block technique 67, 68
 – variations of 66
 – classical (lateral) 66
 – subcostal 67
 TXA, *see* Tranexamic acid
 (TXA)

U

ULBD, *see* Unilateral
 laminectomy with bilateral
 decompression (ULBD)
 Ultrasound
 – -guided CPVB 55

– -guided thoracolumbar
 interfascial plane block 187
 – SoundWave 11, 12
 Ultrasound beam, generation
 of 13
 – piezoelectric effect 13
 – transducers 13
 – types of 14
 Ultrasound imaging
 modalities 15
 – Doppler effect 15, 16
 Ultrasound waves interaction
 with tissues 12
 Unilateral laminectomy with
 bilateral decompression
 (ULBD) 141
 Urinary retention 184

V

VAS score, *see* Visual analog
 scale (VAS) score
 Virtual reality (VR) 74
 Visual analog scale (VAS)
 score 94, 104, 126–127
 VR, *see* Virtual reality (VR)

W

Wavelength 12
 Wilson frame 203

X

X-ray fluoroscopy 124

Z

Zofran 209